

## **Temperature Data Logger EBI 12**

for food control during pasteurization

## **BLUE LINE**

The EBI 12 data logger is suitable for temperature measurement in bottles and beverage cans.

- High-quality stainless-steel housing
- Axial Design
- M10 thread for attachment to the probe
- Application range from -55 °C to 140 °C
- High temperature accuracy of up to ±0.3 °C
- Version with one measuring channels
- Temperature sensor 6 mm, rigid



**EBI 12-T265** 

## **Technical Data:**

Operating temperature	-55 °C +140 °C	
Measurement range	-55 °C +140 °C	
Accuracy	± 0.8 °C (-55 °C40 °C)	
	± 0.3 °C (-40 °C +140 °C)	
Resolution	0.01 °C	
Data memory	27,840 measurements	
Sensor	PT1000, class A	
Measurement interval	1 s 24 hours	
Real-time data	No	
transmission		
Storage temperature	-20 °C +70 °C	
Measurement modes	<ul> <li>endless measurement</li> <li>Measure upon starttime</li> <li>Start immediately until end of</li> </ul>	
	memory	
	<ul> <li>Start- / Stop measurement</li> </ul>	
Battery	Lithium, 3.6 V,	
	User-replaceable	
Dimensions	(Ø x H) 48 mm x 24 mm	
Weight	App. 90 g	
Housing material	316 L stainless steel / PEEK	
Protection class	IP68	
Factory Calibration	-20 °C, 0 °C, +60 °C and +121 °C	
Certificate		
	1	

## **Standards and Directives:**

- (EC) 1935/2004 Materials and articles which come into contact with food
- 2014/53/EU Radio Equipment Directive RED

Туре	Description	Part-No.
EBI 12-T265	L 300 mm	1340-6622

Xylem Analytics Germany Sales GmbH & Co.KG, ebro -Peringerstr. 10 – D-85055 Ingolstadt, Germany Tel +49 841 954780 – Fax +49 841 95478-80



Website: www.ebro.com – E-Mail: ebro@xylem.com

ebro<sup>®</sup> is a registered trademark of Xylem Inc. or one of its subsidiaries. Technical changes reserved. © 2014 Xylem Analytics Germany Sales GmbH & Co. KG.